AlliedSignal Inc.

Morristown, NJ

Wetlands Characterization Report

UOP Site East Rutherford, New Jersey

ENSR Consulting and Engineering

March 1994

Document Number 0544789.AJK, 0186-002-530



CONTENTS

1.0	INTF	RODUC	TION	. 1- 1
2.0	MET 2.1		OGY	
	2.2		dology of Onsite Wetlands Investigation	
3.0	FINE 3.1	Findin 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5	gs of Offsite Investigation USGS Topographic Map USDA/SCS Soil Survey of Bergen County National Wetlands Inventory Map NJDEPE Freshwater Wetlands Map Wetland Assessment Area Boundary Map gs of Onsite Wetlands Delineation	. 3-1 . 3-1 . 3-1 . 3-2 . 3-2
4.0	COM	ICLUSI	ONS	. 4-1
5.0	REF	ERENC	ES	. 5-1
APP	ENDI	XA We	tland Delineation Summary Sheets	
APP	ENDI	XB Tra	nsect Photographs	
APP	ENDI	X C Sit	e Plan	



LIST OF FIGURES

Figure 1.	USGS Topographic Location Map	F-1
Figure 2.	SCS Soil Survey Map	F-2
Figure 3.	National Wetlands Inventory Map	F-3
Figure 4.	NJDEPE Freshwater Wetlands Map	F-4
Figure 5.	Wetland Assessment Area Boundary Map	F-5

1.0 INTRODUCTION

ENSR Consulting and Engineering conducted comprehensive wetlands delineation and characterization activities at the UOP Superfund Site in East Rutherford, New Jersey in December 1993 and January 1994. The wetland delineation was conducted to determine the location and areal extent of jurisdictional wetlands within and adjacent to the remediation area, and to develop baseline wetlands conditions within the remediation area to support further remediation activities.

The scope of the wetlands investigations involved an offsite wetlands determination and an onsite wetlands delineation. The offsite wetlands determination was conducted to determine the general location, extent and type of wetlands occurring in the vicinity of the UOP property. This determination included obtaining and reviewing available federal and state natural resource and wetlands mapping, existing previous reports and studies for the purpose of identifying the general location of wetlands as well as initial characterization. The onsite wetlands delineation was conducted to confirm the location and areal extent of wetlands. The onsite delineation also afforded the opportunity to characterize wetland types based on actual onsite observation. Data collected on both the areal extent and types of wetlands present will serve as an accurate baseline prior to implementation of remedial design. This report is organized into sections describing the methods of investigations, the findings, and a brief statement on conclusions.

A section of the UOP remediation area (property which lies on the southeast side of the Conrail RR tracks, see Figure 1) falls within the jurisdiction of the Hackensack Meadowlands Development Commission (HMDC), and thus is beyond jurisdiction of the New Jersey Freshwater Wetlands Protection Act Rules (NAJC 7: 7A). The remainder of the remediation area (northwest of the Conrail RR tracks) is within NJDEPE wetlands jurisdiction.

2.0 METHODOLOGY

2.1 Methodology of Offsite Wetlands Investigation

An offsite investigation was conducted to determine the general location, extent, and type of wetlands occurring within the UOP property and within the limits of the remediation area. The offsite wetlands determination for the site was conducted in accordance with the *Preliminary Data Gathering and Synthesis* Section of the *Corps of Engineers Wetlands Delineation Manual* (Environmental Laboratory, 1987) and the *Offsite Determination Method* subsection of the *1989 Federal Manual for Identifying and Delineating Jurisdictional Wetlands* (FICWD, 1989). The offsite sources consulted and reviewed for this report included the U.S. Geological Survey (USGS) *Topographic Map* (Weehawken Quadrangle, 1981), the U.S. Department of Agriculture/Soil Conservation Service (USDA/SCS) *Interim Soil Survey of Bergen County* (1981), the U.S. Fish and Wildlife Service (USFWS) *National Wetlands Inventory Map* (Weehawken Quadrangle, 1976), the New Jersey Department of Environmental Protection and Energy (NJDEPE) *Freshwater Wetlands Map* (Weehawken Northwest map, 1988), the U.S. Environmental Protection Agency (U.S. EPA) *Wetland Assessment Area Boundary Map* (Rutherford and Walden Swamp maps, 1989). The U.S. EPA Region II *Functional Assessment of Wetlands in New Jersey's Hackensack Meadowlands* (1989) was also consulted.

2.2 Methodology of Onsite Wetlands Investigation

The onsite wetlands delineation conducted on areas within HMDC jurisdiction was performed in accordance with the routine onsite three parameter approach (hydrophytes, hydric soils, and hydrology) of the *Corps of Engineers Wetlands Delineation Manual* (Environmental Laboratory, 1987). In addition, wetlands delineation for these areas conformed to the procedures and performance standards established in the *Clarification and Interpretation of the 1987 Manual* Technical Memorandum (U.S. Army Corps of Engineers, 1992),

The onsite wetlands delineation conducted in areas beyond HMDC jurisdiction was performed in accordance with the *Intermediate-level Onsite Determination Method* of the 1989 Federal Manual for Identifying and Delineating Jurisdictional Wetlands (FICWD, 1989). In addition, wetlands in both areas were classified in accordance with the U.S. Fish and Wildlife Service's Classification of Wetlands and Deepwater Habitats of the United States (Cowardin et al., 1979).

The entire site was walked with an emphasis placed on areas that had been preliminarily identified as having wetlands. The wetland/upland boundary was visually inspected and



evaluated using the quadrat assessment technique outlined in both the Army Corps and Federal Manuals (Environmental Laboratory, 1987 & FICWD, 1989). Vegetation, soils, and hydrological information was recorded at each transect location and plotted on the ENSR 3-Parameter Wetland Delineation Summary Sheet.

Vegetational assessment included assessing all defined strata (tree, liana, sapling, shrub, and seedlings and herbs) using the *Ocular Estimation of Cover Technique* (Hayes et al, 1981). Dominant species were identified from each stratum and individually recorded. Strata are defined as individual vegetative cover types within the community (i.e., herbs, shrubs, saplings, and trees). Dominant species were determined to be any species displaying greater than 50% of the total dominance measure for the stratum, plus any species that comprise 20% or more of the dominance measure for the stratum (FICWD, 1989). In rare instances where dominant species individually comprised less than 20% of total areal coverage, these species were recorded and factored into the cumulative total. Each dominant species National Wetland Indicator Status (Reed, 1988) was assigned, and hydrophytic vegetation was considered prevalent when the individual species NWI Status were cumulatively totaled, and the sum of all the dominant species was greater than 50% obligate wetland (OBL), facultative wetland (FACW) or facultative (FAC), which satisfies the standard hydrophytic vegetation criterion established in the 1989 Federal Manual and the 1987 Army Corps Manual.

Soils were examined to a depth of 20 to 24 inches. The Hue, Value and Chroma of the soil profile were recorded using the Munsell Soil Color Chart (Kollmorgan Corporation, 1975). Soil series were determined using the USDA/SCS Soil Survey of Bergen County, and hydric soil field indicators (presence of organic soils, histic epipedon, peraquic moisture regime) were recorded.

Wetlands hydrological field indicators were also recorded at each transect location. The presence or absence of root zone saturation and/or inundation was noted, as was depth to groundwater, buttressed trees, water stained leaves or observable plant adaptations to wetlands conditions.

3.0 FINDINGS

3.1 Findings of Offsite Investigation

This section presents the results of a review of resource maps and photographs available for the remediation area.

For purposes of clarity, the site is divided into two sections, east and west. The two sections are separated by a Conrail RR track which runs from the northeast to the southwest through the site.

3.1.1 USGS Topographic Map

The USGS topographic quadrangle indicates marsh or swamp occurring on the UOP site in the eastern half of the remediation area (Figure 1). The marsh or swamp area continues offsite to the east, southeast and south towards Berry's Creek. Marsh or swamp is also indicated offsite to the south, west of the railroad tracks. The USGS topographic quadrangle indicates two winding surface water channels and two lagoons occurring immediately to the south of the central section of the remediation area, and adjacent to the Conrail RR tracks. The two channels are connected to a straight channel section which drains to Berry's Creek, a tributary to the Hackensack River. The system of winding and straight channels leading to Berry's Creek is known as Ackerman's Creek.

3.1.2 USDA/SCS Soil Survey of Bergen County

The USDA SCS soil Survey indicates that the entire remediation area is mapped as Urban Land (Ur) (Figure 2). Urban Land is not listed as a hydric soil on the *Hydric Soils of the United States* (NTCHS, 1991). Urban Land is an anthropogenically altered soil and typically consists of paved areas, fill, parking lots, and buildings. Drainage class and permeability have not been established for the Urban Land map unit. Ackerman's Creek is indicated on the USDA/SCS and its location corresponds with that of the USGS.

3.1.3 National Wetlands Inventory Map

The National Wetlands Inventory Map identifies an area of Estuarine Intertidal Emergent (E2EM) wetland in the eastern section of the remediation area (Figure 3). E2EM wetland is also indicated offsite to the south of the Remediation Area. The location of the E2EM wetlands corresponds



with the location of the swamp or marsh indicated by the USGS map. Berry's Creek is indicated 1/4 mile offsite to the east.

3.1.4 NJDEPE Freshwater Wetlands Map

The NJDEPE map characterizes wetland area types by numerical categories. The NJ DEPE map (Figure 4) indicates Estuarine Intertidal Emergent Persistent Irregular (187) wetlands in the southern, southeastern, and eastern sections of the remediation area. These wetlands correspond with wetlands identified by the USGS and NWI maps. The NJDEPE map also indicates Palustrine Emergent Persistent Saturated (19) wetlands in the north central section of the remediation area. This area is not indicated as wetland by any of the other references. The easternmost section of the UOP site is classified as Upland (01). An additional drainage ditch is depicted along the southwest border of the eastern section of the site, bisecting the type 187 wetland. These surface water types are identified as Palustrine Open Water Permanent (type 07) and Riverine Lower Perennial Open Water Excavated (type 124).

3.1.5 Wetland Assessment Area Boundary Map

The eastern section of the UOP site lies within the jurisdiction of the Hackensack Meadowlands Development Commission (HMDC). The EPA Wetland Assessment Area (AA) Boundary Map only identifies the wetlands occurring within HMDC jurisdiction. The Wetland Assessment Area Boundary Map identifies a section of Assessment Area #24 within the boundaries of the remediation area (Figure 5). The Assessment Area section that is included is in the southeastern section of the site. Assessment areas are wetlands identified from aerial photography interpretation with limited onsite groundtruthing (Maguire Group, 1989). The area identified in the vicinity of the remediation area corresponds with the USGS, NWI, and part of the NJDEPE maps. The AA map indicates two winding channels, a lagoon, and two connected drainage ditches occurring immediately to the south of the site.

3.2 Findings of Onsite Wetlands Delineation

The onsite wetland delineation was conducted by ENSR on December 21, 1993. The onsite wetlands delineation confirmed the location of estuarine intertidal wetlands previously indicated by offsite sources within remediation area boundaries and wetlands located on adjacent parcels. In addition, the onsite delineation provided the opportunity to comprehensively quantify exact locations as well as the areal extent of all wetlands in the vicinity. A complete site inspection was conducted during the time of the delineation to ensure that all wetland areas within the study area were identified. In general, wetlands were located in the south, southeast and eastern sections of the remediation area. A wetland boundary was also identified just south (offsite) of

the western site area. This section describes the wetlands identified during the onsite delineation.

Wetland flag series A1-A5 (indicated on Site Plan in Appendix C), located south of the remediation area, defines the boundary of an estuarine intertidal emergent wetland which extends further to the southeast. This wetland is characterized by red maple (*Acer rubrum*), grey birch (*Betula populifolia*), and common reed (*Phragmites australis*). The surface water channel and rail spur were located adjacent to the remediation area, as indicated by the USGS map.

Wetland flag series B1-B40 (indicated on Site Plan in Appendix C), located in the east site area, defines the boundary of an estuarine intertidal emergent wetland which extends offsite to the east, south and southeast. This wetland is characterized almost entirely by the common reed (*Phragmites australis*).

Areas immediately west of the railroad tracks at the location of the former UOP site buildings and parking areas were observed to be in flooded conditions as the result of blocked culverts. *Phragmites australis* had colonized some of these flooded areas. These areas were determined not to be "Waters of the United States" as all areas were underlaid with either concrete foundations or asphalted roadways and parking lots.

AREA Z

ENSR's three-parameter wetlands delineation transect summary sheets are provided in Appendix A. These transect summary sheets provide the detailed technical evidence of the vegetation, soils and hydrology of all delineated wetlands. Photographs of the transect locations are provided in Appendix B. The Site Plan depicting the wetlands delineation is provided in Appendix C.




4.0 CONCLUSIONS

This Wetlands Characterization Report has presented a summary of existing wetlands resources found at the UOP superfund site and on adjacent parcels. Identification, location and classification of these wetlands has been presented based on a two-tiered (offsite and onsite) approach. The offsite analysis was conducted based on the assemblance and interpretation of existing natural resource mapping and documents. The onsite wetlands delineation corroborated the location of wetlands indicated by previous reports, and provided additional knowledge regarding the precise areal extent and character of the estuarine wetlands at the UOP site. This baseline information will assist in the evaluation of potential impacts to wetlands encountered during the remedial design.

5.0 REFERENCES

- Cowardin, L.M., V. Carter and F. Golet, 1979. Classification of Wetlands and Deepwater Habitats of the United States. FWS/OBS-29/31. 103pp.
- Environmental Laboratory, 1987. Corps of Engineers Wetlands Delineation Manual. Department of the Army, U.S. Army Corps of Engineers, Washington, DC. 169 pp.
- Federal Interagency Committee for Wetland Delineation, 1989. *The Federal Manual for Identifying and Delineating Jurisdictional Wetlands*. USACOE/USEPA/USFWS/USDA/SCS, Washington, D.C. Cooperative Technical Publication. 76 pp. plus appendices.
- Hays, R.L., C. Summers and W. Seitz, 1981. *Estimating Wildlife Habitat Variables*. USFWS. FWS/OBS-81/47. 111 pp.
- Kollmorgen Coporation, 1975. Munsell Soil Color Charts. Baltimore, MD.
- Maguire Group, 1989. Functional Assessment of Wetlands in New Jersey's Hackensack Meadowlands. Prepared for U.S. EPA, Region II. 69 pp. plus appendicies.
- National Technical Committee for Hydric Soils, 1991. *Hydric Soils of the United States*. USDA/SCS. Washington, D.C., Public. No. 1491.
- Reed, P. B., Jr. 1988. National list of Plant Species that Occur in Wetlands: Northeast (Region I). USFWS Biol. Rep. 88(26.1). 111 pp.






Scale 1:20,000

FIGURE 2

USDA/SCS BERGEN COUNTY SOIL SURVEY OF UOP SUPERFUND SITE EAST RUTHERFORD, NEW JERSEY

DRAWN: AJK	DATE: January 13, 1994	PROJECT NO.:	REV:
FILE NO.:	CHECKED: CET	0186-002	





Scale 1:12000

Key:

01

Upland Palustrine Open Water Permanent 07

19

124


Palustrine Emergent Persistent Saturated
Riverine Lower Perennial Open Water Excavated
Estuarine Intertidal Emergent Persistent Irregular

ENSR Consulting and Engineering

FIGURE 4

NJ DEPE FRESHWATER WETLANDS MAP OF UOP SUPERFUND SITE EAST RUTHERFORD, NEW JERSEY

DRAWN: AJK	DATE: January 13, 1994	PROJECT NO.: REV:
FILE NO.:	CHECKED: CET	0186-002



APPENDIX A WETLAND DELINEATION SUMMARY SHEETS

WETLAND DELINEATION SUMMARY SHEET FOR USE WITH 1989 FEDERAL MANUAL

Project Title: UOP Superf	und Site	· · · · · · · · · · · · · · · · · · ·	Project Location	n: East Rutherfor	d, NJ
Sample Location: Wetlan	d at A2		Date: Decembe	er 21, 1993	
		VEGET			
DOMINANTS BY STRATU	<u></u>		Dominance Ratio	Percent Dominance	NWI Status
Trees:					
Acer rubrum Betula populifolia	;		5/10 5/10	50 50	FAC FAC
Lianas:					
Saplings:					
Shrubs:					
Seedlings and Herbs: Phragmites australis			54/90	60	FACW
Ambrosia artemisiifolia			36/90	60 40	FACU
Mosses and Liverworts:	2				
Tally: OBL	FACW 1	FAC 2	FACU 1	UPL.	SUM 4
{OBL+FACW+FAC}	X 100 =	Area Disturb		Yes	X No
SUM 3/4=75%		Decscribe:	·		
					

			SOIL	
		Munsell Color (Wet)		
Depth		Matrix/Mottle	USDA Texture (Wet)	Remarks
0	inch			
3	inch	10 YR 2/1	Sandy loam	
18	inch	10 YR 4/2	Sandy ioam	Stream Edge 10" deep.
	inch		<u>·</u>	
		·		
		Not listed	Permeability: No	t listed
eries (ase: Urban Land	Drainage Class:	Not listed
	NTCH	S List	Organic Soil	High Organic Content
				in Surface Horizon
	Histic	Epipedon	Sulfidic Material	Aquic Moisture Regime
	_		•	
<u> </u>	Peraq	uic Moisture Regime	Reducing Condition	Iron Concretions
		_		
	Mang	anese Concretions	Gleyed	Wet Spodosols
	_		·	 .
	Dark V	ertical Streaking of Subsurfa	ce Horizons	OBL Plants
			HYDROLOGY	
		rded Data Indicating Inundat Growing Season	HYDROLOGY ion or Saturation for Extended Perio	od During
ource:	the C			od During
ource:	the C		ion or Saturation for Extended Perio	od During
ource:	the C	Parowing Season	ion or Saturation for Extended Perio Dated: Saturation (Depth)	
ource:	the C	Browing Season	ion or Saturation for Extended Perio Dated:	
ource:	Inund Water	etion (Depth 10")	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere	Drift Lines
ource:	Inund Water	Parowing Season	ion or Saturation for Extended Perio Dated: Saturation (Depth)	Drift Lines
ource:	Inunda Water Sedim	etion (Depth 10") Marks ment Deposits	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves	Drift Lines X Drainage Patterns
ource:	Inunda Water Sedim	etion (Depth 10")	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere	Drift Lines
ource:	Inund Water Sedim Surface	Arowing Season ation (Depth 10") Marks ment Deposits se Scoured Areas	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores	Drift Lines X Drainage Patterns Buttressed Trees
ource:	Inunda Water Sedim	Arowing Season ation (Depth 10") Marks ment Deposits se Scoured Areas	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves	Drift Lines X Drainage Patterns
ource:	Inund Water Sedim Surfac Stoolin	eation (Depth 10") Marks ment Deposits se Scoured Areas	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems
ource:	Inund Water Sedim Surfac Stoolin	Arowing Season ation (Depth 10") Marks ment Deposits se Scoured Areas	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores	Drift Lines X Drainage Patterns Buttressed Trees
ource:	Inund Water Sedim Surfac Stoolin	etion (Depth 10") Marks ment Deposits se Scoured Areas ng	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
Durce:	Inund Water Sedim Surfac Stoolin	eation (Depth 10") Marks ment Deposits se Scoured Areas	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems
ource:	Inund Water Sedim Surfac Stoolin	etion (Depth 10") Marks ment Deposits se Scoured Areas ng	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
	Inunda Water Sedim Surfac Stoolin Floatin	Action (Depth 10") Marks Bent Deposits Be Scoured Areas Big Stems Colored Leaves, Stems, Roots	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma CONCLUSIONS	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
	Inunda Water Sedim Surfac Stoolin Floatin Inflated	Action (Depth 10") Marks Bent Deposits Be Scoured Areas By By Stems C Leaves, Stems, Roots Action (Depth 10")	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma CONCLUSIONS Yes Hydric Soils	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
98	Inunda Water Sedim Surfac Stoolin Floatin Inflated	Action (Depth 10") Marks Bent Deposits Be Scoured Areas Big Stems Colored Leaves, Stems, Roots	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma CONCLUSIONS	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
	Inunda Water Sedim Surface Stoolin Floatin Inflated Wet	Action (Depth 10") Marks Bent Deposits Be Scoured Areas By By Stems C Leaves, Stems, Roots Action (Depth 10")	Dated: Saturation for Extended Period Dated: Saturation (Depth) Oxidized Rhizosphere X Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma CONCLUSIONS Yes Hydric Soils	Drift Lines X Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels

WETLAND DELINEATION SUMMARY SHEET FOR USE WITH 1989 FEDERAL MANUAL

Project Title: UOF	Superfun	d Site		Project Location	on: East Rutherfor	d, NJ
Sample Location	Upland at	Flag A2		Date: Decemb	er 21, 1993	
·	- <u></u>		VEGET			, .
DOMINANTS BY	STRATUM			Dominance Ratio	Percent Dominance	NWI Status
Trees:						
Populus deltoide	8			5/5	100	FAC
Lianas:						
Saplings:				r		
Populus deltoides				7/10	70	FAC
Betula populifolia				3/10	30	FAC
Shrubs:						
						·
Seedlings and He						
Phragmites austra				59.5/85	70	FACW
Ambrosia artemis ~	iifolia			4.25/85	5	FACU
Grasses				21.25/85	25	
Mosses and Liven	worts:					
Tally: OBI	.	FACW 1	FAC 3	FACU 1	UPL	SUM 5
OBL+FACW+FA		X 100 =	Area Disturb		Yes	X No
4/5=80%			Describe:			
			i		(continued on re	verse side)

		SOIL	
1	Munsell Color (Wet)	- COIL	
Depth	Matrix/Mottle	USDA Texture (Wet)	Remarks
0 inch 1	0 YR 3/2	Sandy loam	
18 inch _7	.5 YR 4/4	Sandy loam	No groundwater to 18"
inch	,		
oil Pedigree: N	Not listed	70	
	e: Urban Land	Permeability: Not liste	
NTCHS		Drainage Class: Not I	
	Liot	Organic Soil	High Organic Content
Histic Ep	pipedon	Sulfidic Material	in Surface HorizonAquic Moisture Regime
Peraquio	Moisture Regime	Reducing Condition	Iron Concretions
Mangan	ese Concretions .	Gleyed	Wet Spodosols
Dark Ver	tical Streaking of Subsurfa	ace Horizons	OBL Plants
	ed Data Indicating Inunda owing Season	tion or Saturation for Extended Period Du	ring
the Gro	owing Season	tion or Saturation for Extended Period Du Dated:	ring
the Gro			ring
the Gro	owing Season	Dated:	ring Drift Lines
the Gro ource: Inundati Water M	owing Season	Dated:Saturation (Depth)	
the Gro purce: Inundati Water M Sedimei	owing Season on (Depth) larks	Dated: Saturation (Depth) Oxidized Rhizosphere	Drift Lines
the Gro ource: Inundati Water M Sedimen	owing Season ion (Depth) larks nt Deposits Scoured Areas	Dated: Saturation (Depth) Oxidized Rhizosphere Water Stained Leaves	Drift Lines Drainage Patterns
the Gro Durce: Inundati Water M Sedimel Surface	owing Season fon (Depth) larks nt Deposits Scoured Areas	Dated: Saturation (Depth) Oxidized Rhizosphere Water Stained Leaves Pneumatophores	Drift Lines Drainage Patterns Buttressed Trees
the Gro ource: Inundati Water M Sedimer Surface Stooling Floating	owing Season fon (Depth) larks nt Deposits Scoured Areas	Dated: Saturation (Depth) Oxidized Rhizosphere Water Stained Leaves Pneumatophores Adventitious Roots	Drift Lines Drainage Patterns Buttressed Trees Shallow Root Systems
the Gro ource: Inundati Water M Sedimel Surface Stooling Floating Inflated	on (Depth) larks Int Deposits Scoured Areas Stems Leaves, Stems, Roots	Dated: Saturation (Depth) Oxidized Rhizosphere Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves	Drift Lines Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
the Gro ource: Inundati Water M Sedimer Surface Stooling Floating Inflated	owing Season fon (Depth) larks nt Deposits Scoured Areas	Dated: Saturation (Depth) Oxidized Rhizosphere Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma	Drift Lines Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
the Gro purce: Inundati Water M Sedimer Surface Stooling Floating Inflated	on (Depth) larks Int Deposits Scoured Areas Stems Leaves, Stems, Roots	Dated: Saturation (Depth) Oxidized Rhizosphere Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma CONCLUSIONS	Drift Lines Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels
the Gro purce: Inundati Water M Sedimer Surface Stooling Floating Inflated	cowing Season fon (Depth) larks Int Deposits Scoured Areas Stems Leaves, Stems, Roots Phytes Prevalent Ind Hydrology	Dated: Saturation (Depth) Oxidized Rhizosphere Water Stained Leaves Pneumatophores Adventitious Roots Polymorphic Leaves Aerenchyma CONCLUSIONS No Hydric Soils	Drift Lines Drainage Patterns Buttressed Trees Shallow Root Systems Hypertrophied Lenticels

Project Title	: UOP Supe	rfund Site			Project Location	: East Rutherford,	NJ
Sample Lo	cation: Wetla	nd at Flag B7			Date: Decembe	r 21, 1993	
			VEGET	ATION			
DOMINANT	S BY STRA	ГИМ		·	Dominance Ratio	Percent Dominance	NWI Status
Trees:		Total dbh	Total Basal	Area			
					7	İ	
				*			,
			`,			ļ	
Lianas:			,				ĺ
Saplings:		•					
							1044. 1
Shrubs:							·
Shrubs:				٠			-
·							
						· .	
Seedlings a				•			#2
Phragmites	australis				100/100	100	FACW
		•					
	•						
Mosses and	Liverworts:				·		
:							
Tally:	OBL	FACW 1	FAC	FAC-	FACU	UPL	SUM 1
{OBL+FAC		X 100 =	Area Disturb	ed?		X Yes	No
SU 1/1=100%	M		Describe:	Fill in pro	file		
., . = 10070			Describe.	t iii iii pro		. . .	•
		***				(احاجات حجود

_			SOIL	
		Munsell Color (Wet)	SOIL	
epth	j	Matrix/Mottle	LISDA Tendura (Mas)	<u> </u>
	inch	INICATIVATION OF THE PROPERTY	USDA Texture (Wet)	Remarks
		10YR 2/1	Fill	
<u> </u>	"''''	1011121	FIII	
21 i	inch	Fill/Debris	 Fill	
	"	: III/Debits		Groundwater at 18".
i	inch			
<u> </u>	-	·		
il Bodi		Not listed		
		ase: Urban Land	Permeability: No	
			Drainage Class:	Not listed
	ITCH9	S List	Organic Soil	High Organic Content
				in Surface Horizon
⊢	listic E	Epipedon	Sulfidic Material	Aquic Molsture Regime
P	eraqu)	ic Moisture Regime	Reducing Condition	Iron Concretions
N	langa	nese Concretions	Gleyed	Wet Spodosols
.D	ark V	ertical Streaking of Subsurface	Horizons	OBL Plants
				ODE Figures
O	BL ar	nd FACW Plants and Wetland/L	Inland Boundary Abrunt	
			Spidile Bodiledly Abiupt	
			HYDROLOGY	
	Recor	ded Data Indicating Inundation	or Saturation for Extended Perio	
		rowing Season	Tor Saturation for Extended Pend	od During
	1116 C	Towing Season		
urce:				
	INIDIO	CATORS:	Dated:	
IVIACT	INDIC	CATURS:		SECONDARY INDICATORS:
				(2 or more required)
^{IN}	undat	ion (Depth)		•
		•		Oxidized Root Channels
<u> </u>	aturati	on in Upper 12 Inches (Depth	18")	in Upper 12 Inches
			•	•••
w	aterm	arks		X Water-stained Leaves
Di	riftline	9		Local Soil Survey
				Cocar Soll Survey
Se	edime	nt Deposits		FAC No.
			·	FAC Neutral Test
C Dr	rainac	e Patterns		V 01 15 is
<u> </u>	iay	- Latterns		X Other (Buttressed Trees,
			00010111515115	Stooling)
	1.1	anhata Dissal	CONCLUSIONS	
3	-	rophytes Prevalent	Yes Hydric Soils	
<u> </u>	Wetle	and Hydrology	Yes Wetland?	
lands				
lands !			luis _	
lands	Techn	ical Specialist:	E. for CWI)	· · · · · · · · · · · · · · · · · · ·

Project Title: UOP Super	fund Site			Project Location	East Rutherford,	NJ
Sample Location: Uplan	d at Flag B7			Date: December	21, 1993	
4—4—		VEGET	ATION			
				Dominance	Percent	NWI
DOMINANTS BY STRAT	UM		·····	Ratio	Dominance	Status
Trees:	Total dbh	Total Basal	Area	_		
Robinia pseudoacacia		•		8/40	20	FACU
Populus deltoides		•		16/40	40	FAC
Populus tremuloides				4/40	10	FACU
Lianas:	 		· . <u></u>	-		
			•			
0 "						
Saplings:						
Populus deltoides Ailanthus altissima		-		3/15	20	FAC
Aliandius alussima				5.6/15	40	FACU
Shrubs:	·					
Seedlings and Herbs: Aster vimineus Ambrosia artemisiifolia				5/50 35/50	10 70	FAC FACU
Mosses and Liverworts:						
Tally: OBL	FACW	FAC 3	FAC-	FACU 4	UPL	SUM 7
{OBL+FACW+FAC}	_ X 100 =	Area Disturb	ed?		X Yes	No
SUM 3/7=43%	·	Describe:	Fill in prof	ile.		
					(continued on rev	

SOIL Munsell Color (Wet) Depth Matrix/Mottle USDA Texture 0 inch 2 inch 10YR 2/2 Sandy loam 18 Inch Fill/Debris Fill	(Wet) Remarks
Depth Matrix/Mottle USDA Texture 0 inch 2 inch 10YR 2/2 Sandy loam	(Wet) Remarks
0 inch 2 inch 10YR 2/2 Sandy loam	Nemarks
Survey loan	
Survey loan	
18 Inch Fill/Debris Fill	
	No make the day
·	No groundwater to 18".
inch	
oil Pedigree: Not listed Permer	ability; Not listed
	ge Class: Not listed
NEO 10 · ·	
NTCHS List Organic Soil	
Histic Epipedon Sulfidic Mate	in Surface Horizon
Sulfidic Mate	rial Aquic Moisture Regime
Paraguia Maintura Panima	Mat.
Peraquic Moisture Regime Reducing Co	onditionIron Concretions
Manganese Coursellers	
Manganese Concretions Gleyed	Wet Spodosols
Dade Vandard Ober 11 CO. 1 CO. 1	
Dark Vertical Streaking of Subsurface Horizons	OBL Plants
OBL and FACW Plants and Wetland/Upland Boundary Abrup	t c
HYDROLOGY	
Recorded Data Indicating Inundation or Saturation for Exten	ded Period During
the Growing Season	
•	
urce: Dated:	
IIMARY INDICATORS:	SECONDARY INDICATORS:
	(2 or more required)
Inundation (Depth)	(= =:
	Oxidized Root Channels
Saturation in Upper 12 Inches (Depth)	in Upper 12 Inches
	in Opper 12 inches
Watermarks	. Mater etalogal Laure
	Water-stained Leaves
Driftlines	
	Local Soil Survey
Sediment Deposits	
Cognitions Dahosita	FAC Neutral Test
Droinges Batterns	
Drainage Patterns	Other (Buttressed Trees,
	Stooling)
CONCLUSIONS	
Hydrophytes Prevalent No Hydric Sc	oils
Wetland Hydrology No Wetland?	
tlands Scientist(s):	· · · · · · · · · · · · · · · · · · ·
tlands Scientist(s):	
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	WD

Project Title: UOP Superfund Site		Project Location	: East Rutherford,	NJ
Sample Location: Wetland at Flag B33		Date: Decembe	r 21. 1993	
	VEGETATION			
DOMINANTS BY STRATUM		Dominance Ratio	Percent Dominance	NWI Status
Trees: Total dbh	Total Basal Area			
		·		
			I	
Lianas:			ļ	
Saplings:				
			i . i	ع د دوی
				·
Shrubs:	•	·		
		i		
Seedlings and Herbs: Phragmites australis	*	100/100	100,	FACW
Mosses and Liverworts:	•			
Tally: OBL FACW 1	FAC FAC-	FACU	UPL	SUM 1
{OBL+FACW+FAC} X 100 =	Area Disturbed?		X Yes	No
SUM 1/1⇒100%	Describe: Fill in	profile.		

		SOIL	
	Munsell Color (Wet)		T
Depth	Matrix/Mottle	USDA Texture (Wet)	Remarks
0 inc	ch		Homan
	ch 7.5 YR 3/7	Sandy loam	Groundwater at 1".
	10 YR 3/2	January (Salar)	Groundwater at 1.
10_ ind		Sandy loam	
ind	ch		
Soil Pedior	ree: Not listed		
	Phase: Urban Land	Permeability: Not lis	
		Drainage Class: No	
N	CHS List	Organic Soil	High Organic Content
i			in Surface Horizon
His	stic Epipedon	Sulfidic Material	Aquic Moisture Regime
X Per	raquic Moisture Regime	Reducing Condition	Iron Concretions
Ma	anganese Concretions	Gleyed	Wet Spodosols
Dai	rk Vertical Streaking of Subsurfac	ce Horizons	OBL Plants
OB	L and FACW Plants and Wetland	d/Upland Boundary Abrupt	
		HYDROLOGY	
th	ecorded Data Indicating Inundati ne Growing Season	ion or Saturation for Extended Period D	During
Source:		Dated:	
'RIMARY II	NDICATORS:		SECONDARY INDICATORS:
			(2 or more required)
Inu	ndation (Depth)		() () () () () () () () () ()
			Oxidized Root Channels
X Sat	uration in Upper 12 Inches (Dept	th 1")	in Upper 12 Inches
Wat	termarks		X Water-stained Leaves
D-#	, ali		
Urin	tlines		Local Soil Survey
Sed	liment Deposits		FAC Neutral Test
X Drai	inage Patterns		XOther (Buttressed Trees, Stooling)
		CONCLUSIONS	
es l	lydrophytes Prevalent	Yes Hydric Soils	
	Netland Hydrology	Yes Wetland?	
etlands Sc	cientist(s):	<u></u>	
etlands So		um-	
	echnical Specialist:	B. Jami CWD	

`

Project Title:	UOP Supe	rfund Site			Project Location	n: East Rutherford,	NJ
Sample Loca	tion: Uplan	nd at Flag B33		0	Date: Decembe	r 21, 1993	·
			VEGETA	ATION			
				-	Dominance	Percent	NWI
DOMINANTS	BY STRAT	TUM			Ratio	Dominance	Status
Trees:		Total dbh	Total Basal A	\rea			
	•						
ı							
Lianas:					┥,		
Liai las.				•		1	
					_		
					:		
	•						
Saplings:							
							. *
							Ì
						•	
Ob							
Shrubs:							
		٠.					
Seedlings and	d Herbs:		•				
Ambrosia; arte					20/100	20	FACW
Solidago can					25/100	25	FACU
Aster vimineu	s				10/100	10	FAC
Grasses					30/100	30	FACU
Mosses and L	iverworts:						
					,		
Tally:	OBL	FACW 1	FAC 1	FAC-	FACU 2	UPL	SUM 4
OBL+FACW		X 100 =	Area Disturb		j, 100 Z	X Yes	No
SUM							
2/4=50%			Describe:	Fill in prof	ile.		
				•	4		•

		SOIL	
346	Munsell Color (Wet)		
Depth 0 inch	Matrix/Mottle	USDA Texture (Wet)	Remarks
0 inch			<u>.</u>
		Gravel	Refusal at 3"
inch			
	*		
inch	•		
oil Pedigree:		Permeability: Not lis	sted
	ase: Urban Land	Drainage Class: No	ot listed
NTCH	S List	Organic Soil	High Organic Content
			in Surface Horizon
Histic	Epipedon	Sulfidic Material	Aquic Moisture Regime
Doross	uia Maiatura Danima		
reraqu	uic Moisture Regime	Reducing Condition	Iron Concretions
Manga	anese Concretions	Gleyed	Man Or
		Gieyeu	Wet Spodosols
Dark V	ertical Streaking of Subsurface	Horizona	OBL Plants
			ODE Fiants
OBL a	nd FACW Plants and Wetland/	Upland Boundary Abrupt	•
		HYDROLOGY	
			•
		n or Saturation for Extended Period [During
	rded Data Indicating Inundation Growing Season		During
the G		n or Saturation for Extended Period [During
the G	Browing Season		
the G ource:	Browing Season	n or Saturation for Extended Period [SECONDARY INDICATORS:
the G ource: RIMARY INDI	CATORS:	n or Saturation for Extended Period [
the G ource: RIMARY INDI	Browing Season	n or Saturation for Extended Period [SECONDARY INDICATORS: (2 or more required)
the Gource: RIMARY INDI	CATORS:	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels
the Gource: RIMARY INDI	CATORS:	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required)
the Gource: RIMARY INDI	CATORS: tion (Depth) tion in Upper 12 Inches (Depth	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches
the Gource: RIMARY INDI Inunda Saturat	CATORS: tion (Depth) tion in Upper 12 Inches (Depth	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels
the Gource: RIMARY INDI Inunda Saturat	CATORS: tion (Depth) tion in Upper 12 Inches (Depth	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves
the Gource: RIMARY INDI Inunda Saturat Watern	CATORS: tion (Depth) tion in Upper 12 Inches (Depth	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches
the Gource: RIMARY INDI Inunda Saturat Watern Driftline	CATORS: tion (Depth) tion in Upper 12 Inches (Depth	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey
the Gource: RIMARY INDI Inunda Saturat Watern Driftline	CATORS: tion (Depth) tion in Upper 12 Inches (Depth narks	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves
the Gource: RIMARY INDI Inunda Saturat Watern Driftline	CATORS: tion (Depth) tion in Upper 12 Inches (Depth	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey
the Gource: RIMARY INDI Inunda Saturat Watern Driftline	CATORS: tion (Depth) tion in Upper 12 Inches (Depth narks	n or Saturation for Extended Period I Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey FAC Neutral Test
the Gource: RIMARY INDI Inunda Saturat Watern Driftline Sedima	CATORS: tion (Depth) tion in Upper 12 Inches (Depth narks ent Deposits ge Patterns	n or Saturation for Extended Period [Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey FAC Neutral Test Other (Buttressed Trees,
ource: RIMARY INDI Inunda Saturat Watern Driftline Sedime	CATORS: tion (Depth) tion in Upper 12 Inches (Depth marks es ent Deposits ge Patterns	n or Saturation for Extended Period I Dated:	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey FAC Neutral Test Other (Buttressed Trees,
ource: RIMARY INDI Inunda Saturat Watern Driftline Sedime	CATORS: tion (Depth) tion in Upper 12 Inches (Depth narks ent Deposits ge Patterns	n or Saturation for Extended Period I Dated: CONCLUSIONS	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey FAC Neutral Test Other (Buttressed Trees,
the Gource: RIMARY INDI Inunda Saturat Watern Driftline Sedime Drainag Hyd Wetl	CATORS: tion (Depth) tion in Upper 12 Inches (Depth narks ent Deposits ge Patterns rophytes Prevalent land Hydrology	Dated: CONCLUSIONS No Hydric Soils	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey FAC Neutral Test Other (Buttressed Trees,
the Gource: RIMARY INDI Inunda Saturat Watern Driftline Sedime	CATORS: tion (Depth) tion in Upper 12 Inches (Depth narks es ent Deposits ge Patterns rophytes Prevalent land Hydrology	Dated: CONCLUSIONS No Hydric Soils	SECONDARY INDICATORS: (2 or more required) Oxidized Root Channels in Upper 12 Inches Water-stained Leaves Local Soil Survey FAC Neutral Test Other (Buttressed Trees,

APPENDIX B

TRANSECT PHOTOGRAPHS



WETLAND AT FLAG A3



UPLAND AT FLAG A3



WETLAND AT FLAG B7



UPLAND AT FLAG B7



WETLAND AT FLAG B33




UPLAND AT FLAG B33



VIEW OF ACKERMAN'S CREEK LOOKING SOUTHWEST



VIEW OF REMEDIATION AREA AT ACKERMAN'S CREEK LOOKING EAST



VIEW OF ACKERMAN'S CREEK LOOKING SOUTHEAST

APPENDIX C

SITE PLAN

